

U.S. Department
of Transportation

United States
Coast Guard

LOCAL NOTICE TO MARINERS

JUNE WEEKLY SUPPLEMENT

NOTICE NUMBER 25-97

June 17, 1997

Issued by: Commander, Seventh Coast Guard District (oan)

Brickell Plaza, Federal Building
909 S.E. 1st Avenue, Miami, Florida 33131-3050
Telephone (305) 536-5621 (Office hours 7:30 a.m. - 4:00 p.m., M-F)

BROADCAST NOTICE TO MARINERS

Navigation information having been of immediate concern to the Mariner, and promulgated by the following broadcasts, has been incorporated in this notice when still effective:

- CCGD7 (D7) BNM 617-97 TO 647-97
- GROUP CHARLESTON (CHA) BNM 318-97 TO 341-97
- GROUP MAYPORT (MAY) BNM 367-97 TO 386-97
- GROUP MIAMI (MIA) BNM 303-97 TO 317-97
- GROUP KEY WEST (KEY) BNM 081-97
- GROUP ST. PETERSBURG (STP) BNM 377-97 TO 402-97
- SAN JUAN (SJ) BNM 234-97 TO 240-97

NOTES: (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution.

(2) A dark vertical line in the left margin indicates new information.

(3) The Local Notice to Mariners consists of a Monthly Edition and Weekly Supplementals. The Monthly Edition should be maintained as a reference. Recurring information is published only once a month.

REFERENCES: Light List, Vol. III, Atlantic and Gulf Coasts, 1996 Edition (COMDTPUB P16502.3).

U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West (31st Edition).

U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico, and Virgin Islands (26th Edition).

* * * * *

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

* * * * *

I. SPECIAL NOTICE

PUBLICATION

U.S. Coast Guard Light List Volume III
Atlantic and Gulf Coasts
Little River, SC to Econfinia River, FL
1997 Edition
Ready for Issue

The 1997 edition of Coast Guard Light List Volume III, Atlantic and Gulf Coasts (COMDTPUB P16502.3), listing lights, fog signals, buoys, daybeacons, RACONS, and DGPS sites on the Atlantic and Gulf Coasts of the United States from Little River, SC to Econfinia, FL is available for issue. The 1996 edition is hereby superseded.

The Light List, corrected through Seventh Coast Guard District Local Notice to Mariners No. 09 dated February 25, 1997, and Defence Mapping Agency Weekly Notice to Mariners No. 12 dated March 22, 1997, may be purchased from Superintendent of Documents, Pittsburgh, PA 15250-7954; from GPO Bookstores located in many cities; or from GPO Sales Agents located in principal ports; stock number 050-012-00380-7, price \$40.00. An order form is enclosed in this edition of the Local Notice to Mariners for your convenience.

The Summary of Corrections subsequent to the above date, up to and including this Local Notice to Mariners is included in this Notice.

In the interval between new editions, corrective information affecting the publication will be published in the Seventh Coast Guard District Local Notice to Mariners, and must be applied in order to keep the publication current. Corrective information will also be published in the Defense Mapping Agency Weekly Notice to Mariners, and will be available from the Defense Mapping Agency Automated Notice to Mariners System.

Global Positioning System (GPS) Status

The GPS signal may not be reliable for navigation from Pensacola Bay to Panama City, Florida, and up to 40 nautical miles off-shore on June 16, 18, 20, 23, 25, 27, and 30, 1997, between 0401Z and 0900Z.

Ref: BNM 378-97-GPS

IDLE SPEED/NO WAKE ZONE-MARVIN D. ADAMS WATERWAY, KEY LARGO, FLORIDA

Marvin D. Adams Waterway in Key Largo, Florida, has been designated an "IDLE SPEED/NO WAKE ZONE". "Idle speed no wake" means that a vessel cannot proceed at a speed greater than that speed which is necessary to maintain steerageway. The area is now posted with buoys and signs and official enforcement of the zone will begin. If you have any questions, please call Robin Dye at the Monroe County Marine Resources Department 289-2505, or Kim McGee at the Monroe County Community Services Division 292-4511.

SLOW SPEED/MINIMUM WAKE ZONE-VACA CUT, FLORIDA

Vaca Cut in Marathon, Florida, has been designated a "SLOW SPEED/MINIMUM WAKE ZONE". The area has been posted with signs and official enforcement of the zone will begin. The zone starts about 500 yards on the ocean side of the U.S. 1 Highway Bridge and extends about 200 yards on the bay side of the bridge. If you have any questions, please call Robin Dye at the Monroe County Marine Resources Department 289-2505, or Kim McGee at the Monroe County Community Services Division 292-4511.

SAFE BOATING AND SEAMANSHIP COURSES

HOST	DATES	TIME	LOCATION
Palm Beach Power Squadron High School Bill Eldridge 622-2379 Jim McGuinness 746-3977	Jul 09 - Aug 27, 1997	7:00 p.m. - 9:30 p.m.	Wm T. Dwyer Palm Beach Gardens, FL
U.S. Coast Auxiliary Flotilla 59 878-0682 or 288-0509	Jul 07 - Jul 28, 1997	7:00 p.m. - 9:00 p.m.	U.S. Coast Guard Aux. Sandsprit Park Stuart, FL
U.S. Coast Guard Auxiliary Training Center Flotilla 81 722-6971 or 778-580	Starting Jul 02, 1997	Starting 7:30 p.m.	Flotilla 81 4208 129 th St. Cortez, FL

Courses are free; however, there is a small fee for text, workbooks, etc.

II. NEW DISCREPANCIES-DISCREPANCIES CORRECTED

The following is a partial list of aids that were not watching as advertised in the Light List as of 1:00 a.m. on the date of this Notice and a list of aids previously reported discrepant that have been corrected since the last Local Notice to Mariners. Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution. For a complete list of discrepancies and for descriptions of abbreviations see Monthly Local Notice to Mariners 22-97.

FEDERAL AID DISCREPANCIES:

LLNR	AID NAME	DISCREPANCY	CHART	BNM	LNM
00895	Miami LB M	BUOYSINK/RAC INOP	11468	N/A	25/97
05730	Ossabaw Snd Ent LB OS	LT EXT	11509	330-97-CHA	25/97
07980	Forrester Pt LT 41	LT EXT	11492	370-97-MAY	25/97
14655	Safe Hbr Ch LT 4	LT EXT/DBN DMGD	11441	0083-97-KEY	25/97
15200	Key West NW Ch DBN 8	TRLB	11441	081-97-KEY	25/97
18095	Matanzas Pass Ch DBN 4	TRUB	11427	385-97-STP	25/97
23510	Hillsborough Cut D Ch LB 35	TRLB	11413	388-97-STP	25/97
28775	Crystal Riv Ent LT 1	LT EXT	11408	N/A	25/97
33690	Little Riv-Winyah Bay DBN 19	TRUB	11534	326-97-CHA	25/97
34050	Little Riv-Winyah Bay LT W	TRLB	11532	329-97-CHA	25/97
36630	Sapelo Snd LT 138	TRLB	11510	0381-97-MAY	25/97
36965	Buttermilk Snd Rng A Front LT 216	LT DIM	11508	0375-97-MAY	25/97
39540	Matanzas Riv Buoy 81B	OFF STA	11485	384-97-MAY	25/97

40735	New Smyrna Bch LT 38	LT EXT/DBN DMGD	11485	0378-97-MAY	
25/97					
40755	New Smyrna Bch LT 45	DBN IMCH	11485	0380-97-MAY	
25/97					
46200	Jupiter Snd LT 53	LT EXT	11472	0313-97-MIA	25/97
47085	Lake Worth S LT 49	LT CONT	11467	305-97-MIA	
25/97					
51855	Moore Haven N Ch DBN 2	MISSING	11428	317-97-MIA	
25/97					
57550	Lemon Bay Ch DBN 33	TRUB	11425	400-97-STP	25/97

FEDERAL DISCREPANCIES CORRECTED:

LLNR	AID NAME	STATUS	CHARTBNM	LNM		
01055	Sand Key LT	WATCHING PROPERLY	11441	080-97-KEY	25/97	
02460	Mt Pleasant RRL	RELIGHTED	11524	0338-97-CHA	25/97	
03065	Cooper Riv LB 75	N/A	11527	331-97-CHA	25/97	
06880	Cumberland Snd Lower Rng C RFL	WATCHING PROPERLY	11503	N/A		
25/97						
07125	St Johns Riv Ent LB 3	WATCHING PROPERLY	11490	357-97-MAY		
24/97						
07130	St Johns Riv Ent LB 4	WATCHING PROPERLY	11490	358-97-MAY		
24/97						
07310	Short Cut LT 26	RELIGHTED	11491	0376-97-MAY	25/97	
07380	Dames Pt C/O RRL	RELIGHTED	11491	368-97-MAY	25/97	
10850	Biscayne Ch DBN 12	WATCHING PROPERLY	11465	098-97-MIA		
10/97						
21570	Big Sarasota Pass LT 16	RELIGHTED	11425	0393-97-STP	25/97	
21775	Longboat Pass DBN 5	REBUILT/RECOVERED	11425	289-97-STP		
19/97						
LLNR	AID NAME	STATUS	CHARTBNM	LNM		
23505	Mullet Key Ch LBB 20	RESET ON STATION	11411	N/A	25/97	
26080	Anclote Anch S Ent DBN 3X	REBUILT/RECOVERED	11412	316-97-STP		
21/97						
26580	Pithlachascotee Riv DBN 15	WATCHING PROPERLY	11411	N/A		
25/97						
28780	Crystal Riv Ent DBN 2	WATCHING PROPERLY	11408	N/A		
25/97						
30895	Puerto Nuevo Ch LB 1	RESET ON STATION	25670	182-97-GSE	20/97	
33650	Little Riv-Winyah Bay DBN 14A	WATCHING PROPERLY	11534	321-97-CHA		
25/97						
35935	S Ch DBN A6	REBUILT/RECOVERED	11512	324-97-CHA	25/97	
36375	FL Passage RFL	RELIGHTED	11511	N/A	25/97	
36815	Doboy Is DBN 181	WATCHING PROPERLY	11510	355-97-MAY	24/97	
36935	Altamaha Snd RFL C	WATCHING PROPERLY	11508	N/A		
25/97						
36970	Buttermilk Snd Rng A Rear LT	RELIGHTED	11508	0374-97-MAY	25/97	
37065	Frederica Riv Cut RFL C	WATCHING PROPERLY	11508	0371-97-MAY		
25/97						
39395	Matanzas Riv DBN 55	REBUILT/RECOVERED	11485	339-97-MAY		
23/97						
39680	Fox Cut Lt 3	REBUILT/RECOVERED	11485	333-97-MAY	23/97	
40480	Halifax Riv DBN 70	REBUILT/RECOVERED	11485	0248-97-MAY	18/97	

40735 25/97	New Smyrna Bch LT 38	WATCHING PROPERLY	11485	N/A	
47085 25/97	Lake Worth S LT 49	WATCHING PROPERLY	11467	N/A	
57620	Lemon Bay Ch LT 39	RELIGHTED	11425	N/A	25/97
57900 25/97	Venice Inl-Siesta Key DBN 14	WATCHING PROPERLY	11425	N/A	
61110	Treasure Is DBN 17	REBUILT/RECOVERED	11411	0395-97-STP	25/97
61580 25/97	The Narrows DBN 25	REBUILT/RECOVERED	11411	384-97-STP	

PRIVATE AID DISCREPANCIES:

LLNR	AID NAME	DISCREPANCY	CHARTBNM	LN	M
27585 25/97	*Hernando Bch Ch DBN 17		MISSING	11409	0392-97-STP
28725 25/97	*Homosassa River DBN 4		DBN DEST	11409	397-97-STP
39020	*Salt Run DBN 18	DBN DEST		11485	N/A 25/97
49395 25/97	*Biscayne Nat Park Boundary LT B	DBN DMGD		11451	307-97-MIA
49570 25/97	*Biscayne Nat Park Boundary LT C	DBN DMGD		11451	307-97-MIA
55160	*Matlacha Pass DBN 62	TRUB		11426	N/A 25/97
59785 25/97	*San Remo Shore Ch DBN 8	DBN DMGD		11425	N/A

PRIVATE DISCREPANCIES CORRECTED:

LLNR	AID NAME	STATUS	CHARTBNM	LN	M
21805 37/96	*Apollo Beach DBN 12		WATCHING PROPERLY	11413	0737-96-STP
29640 25/95	*Lime Tree Bay Ch Junction LT LK		WATCHING PROPERLY	25641	027495-SJ
44020 10/97	*Crandon Park Marina Ch LT 1		WATCHING PROPERLY	11467	103-97-MIA
44025 40/96	*Crandon Park Marina Ch LT 2		WATCHING PROPERLY	11467	0464-96-MIA
44040 40/96	*Crandon Park Marina Ch DBN 5		WATCHING PROPERLY	11467	0464-96-MIA
44085 08/97	*Crandon Park Marina Ch LT 14		WATCHING PROPERLY	11467	083-97-MIA
44890	*Black Pt Ch LT 2	WATCHING PROPERLY	11467	?	50/96
44930 50/96	*Black Pt Ch DBN 10		WATCHING PROPERLY	11465	?
45005 50/96	*Black Pt Ch DBN 29		WATCHING PROPERLY	11465	?

III. TEMPORARY CHANGES-AIDS ESTABLISHED:

LLNR	AID NAME	STATUS	CHARTBNM	LN	M
------	----------	--------	----------	----	---

6495	MAYPORT BASIN RRL DISCON/Maintenance	11491	366-97-MAY	25-97
Pg 249	Fields Cut B 48A	EST/Shl/RELOC	11512	233-97-CHA
Pg 249	Fields Cut B 48B	EST/Shl	11512	233-97-CHA
34535	S AMELIA RIV LT 46A DISCON/Dredging	11489	360-97-MAY	25-97

TEMPORARY AIDS CORRECTED:

LLNR	AID NAME	STATUS	CHARTBNM	LNLM
------	----------	--------	----------	------

None.

IV. CHART CORRECTIONS

(Explanation of Format)

Corrective action, affecting charts, is contained in this section. Chart corrections are listed numerically by chart number, beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only. It is up to the mariner to decide which charts are to be corrected. The following example explains the individual elements of a typical correction.

Chart number	Chart edition	Edition date	Last Local Notice to Mariners	Notice datum	Reference correction	Source of to Mariners	Current Notice
11534	26 th ed.	12/14/91	Last LNM	41/92		NAD 83(CG7)	06/93
(Temp) Myrtle Grove Sound to Fear River to Casino Creek							
Add Boguse Channel Light 1, FI G 2.5s, 16 ft, 7M							32°48'00"N
79°15'00"W							
:							
Corrective action		Object of corrective action		Position			

The letter (M) immediately following the chart number indicates that the correction should be applied to the metric side of the chart only. (Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (M).

411	45 th ed., 10/12/96	LAST LNM	24/97	NAD 83	25/97
Gulf of Mexico					(NOS SILVER
SPRING)					
DELETE radiobeacon and magenta circle at					
22°02'00.0"N 080°26'36.0"W					
1113 A	24 th ed., 11/23/96	LAST LNM	17/97	NAD 83	25/97
Havana to Tampa Bay - Mineral Lease Chart					
(CGD07)					
CHANGE Cape Romano Shls Lt to 6M in					
25°41'20.8"N 081°38'47.3"W					
11013	42 nd ed., 07/13/96	LAST LNM	24/97	NAD 83	25/97
Straits of Florida and Approaches					(NOS
SILVER SPRING)					
CHANGE depth of submerged buoy obstruction to 33 fms					
and delete blue tint at					
084°11'02.9"W					27°33'00.0"N
depth of submerged buoy obstruction to 78 fms					

and delete blue tint at	27°24'47.1"N 084°31'02.9"W
depth of submerged buoy obstruction to 118 fms	
and delete blue tint at	27°16'13.4"N
084°51'24.3"W	
11408 26 th ed., 08/26/95 LAST LNM 18/97 NAD 83	25/97
Crystal River to Horseshoe Point	(NOS)
SILVER SPRING)	
ADD magenta flare to dot for light "21" at (Inset)	
29°06'50.0"N 083°02'25.0"W	
(CGD07)	
Subm Obstr, clearance over Obstr 3 ft in	
28°54'25.8"N 082°44'30.6"W	
11409 26 th ed., 04/08/95 LAST LNM 23/97 NAD 83	25/97
Anclote Keys to Crystal River	
(CGD07)	
ADD Subm Obstr, clearance over Obstr 3 ft in	
28°54'25.8"N 082°44'30.6"W	
11411 10 th ed., 09/14/96 LAST LNM 23/97 NAD 83	25/97
Tampa Bay to Port Richey	
(CGD07)	
RELOCATE The Narrows Daybeacon "25" from	
(27°51'43.743"N, 82°50'41.973"W) to	27°51'44.1"N
082°50'42.6"W	
11412 37 th ed., 11/30/96 LAST LNM 23/97 NAD 83	25/97
Tampa Bay and St Joseph Sound	
(NOS SILVER SPRING)	
ADD lighted buoy "8F" R Fl r 2.5s at	
27°46'48.0"N 082°31'16.0"W	
(NOS SILVER SPRING)	
DELETE lighted BELL buoy "8" at	
27°46'48.0"N 082°34'45.0"W	
light "5" at	27°49'54.0"N
082°50'07.0"W	
(NOS SILVER SPRING)	
SUBSTITUTE accurate landmark symbol with legend: MARKER	
for light (Iso 6s 59ft) at	27°42'45.0"N
082°33'24.0"W	
11414 36 th ed., 09/28/96 LAST LNM 24/97 NAD 83	25/97
Tampa Bay (Southern Part)	(NOS)
SILVER SPRING)	
RELOCATE legend: CUT "B" RANGE from	
(27°42'20."N 082°33'45.0"W) to	27°41'40.0"N
082°34'25.0"W	
(CGD07)	
SUBSTITUTE accurate landmark symbol with legend: MARKER	
for light (Iso 6s 59ft) at	27°42'45.0"N
082°33'34.0"W	

11420	24 th ed., 11/23/96 LAST LNM 17/97 NAD 83 Havana to Tampa Bay (CGD07) CHANGE Cape Romano Shls Lt to 6M in 25°41'20.8"N 081°38'47.3"W	25/97
11425	31 st ed., 10/05/96 LAST LNM 24/97 NAD 83 Charlotte Harbor to Tampa Bay (CGD07) RELOCATE Siesta Key-Tampa Bay Daybeacon "8A" from (27°19'36.377"N, 82°33'14.668"W) to 082°33'14.5"W Siesta Key-Tampa Bay Daybeacon "24" from (27°24'27.741"N, 82°38'12.315"W) to 082°38'12.5"W	25/97 27°19'35.7"N 27°24'27.4"N
11429	19 th ed., 04/19/97 LAST LNM 24/97 NAD 83 Chatham River to Clam Pass (CGD07) CHANGE Cape Romano Shls Lt to 6M in 25°41'20.8"N 081°38'47.3"W	25/97
11431	11 th ed., 09/01/90 LAST LNM 16/97 NAD 83 East Cape to Mormon Key (CGD07) CHANGE Cape Romano Shls Lt to 6M in 25°41'20.8"N 081°38'47.3"W	25/97
11472	28 th ed., 08/05/95 LAST LNM 23/97 NAD 83 Palm Shores to West Palm Beach (CGD07) RELOCATE Hobe Snd Daybeacon "46" from (27°0'3.721"N, 80°5'36.441"W) to (Side B) 27°00'03.7"N 080°05'36.5"W	25/97
11485	30 th ed., 06/08/96 LAST LNM 24/97 NAD 83 Tolomato River to Palm Shores (CGD07) RELOCATE Fox Cut Lt "3" from (29°31'53.88"N, 81°9'21.6"W) to (Side A) 081°09'21.6"W Matanzas River Daybeacon "55" from (29°46'32.4"N, 81°15'54.06"W) to (Side A) 081°15'53.7"W	25/97 29°31'54.0"N 29°46'32.1"N
11488	20 th ed., 03/09/96 LAST LNM 17/97 NAD 83 (TEMP) Amelia Island to St. Augustine (CGD07) DELETE Mayport Basin Rng Rear Lt from (for 30 days, due to maintenance.) 081°25'01.5"W	25/97 30°23'34.0"N
11489	30 th ed., 01/20/96 LAST LNM 23/97 NAD 83 (TEMP) St. Simons Island Sound - Tolomato River (CGD07)	25/97

DELETE	Mayport Basin Rng Rear Lt from (for 30 days, due to maintenance.) (Side B) 30°23'34.0"N 081°25'01.5"W S Amelia River Lt "46A" from (Due to Dredging.) (Side B)	30°31'36.9"N
081°27'22.2"W		
11490	14 th ed., 03/30/96 LAST LNM 23/97 NAD 83 (TEMP) Approaches to St. Johns River (CGD07) DELETE Mayport Basin Rng Rear Lt from (for 30 days, due to maintenance.)	25/97
081°25'01.5"W		30°23'34.0"N
11491	29 th ed., 01/04/97 LAST LNM 23/97 NAD 83 (TEMP) St. Johns River (Atlantic Ocean to Jacksonville) (CGD07) DELETE Mayport Basin Rng Rear Lt from (for 30 days, due to maintenance.) (Side A) 30°23'34.0"N 081°25'01.5"W	25/97
11507	28 th ed., 08/03/96 LAST LNM 24/97 NAD 83 SC - GA - Beaufort Riv - St. Simons Sound (CGD07) RELOCATE S Chan Daybeacon "A6" from (32°5'12.752"N, 81°0'41.401"W) to (Side A) 32°05'17.1"N 081°00'45.5"W Skull Cr Daybeacon "4" from (32°16'22.42"N, 80°44'9.078"W) to (Side A) 32°16'22.5"N 080°44'09.3"W Skull Cr Daybeacon "9A" from (32°14'52.955"N, 80°45'4.004"W) to (Side A) 32°14'53.0"N 080°45'04.1"W	25/97
11512	54 th ed., 09/21/96 LAST LNM 24/97 NAD 83 (TEMP) Savannah River and Wassaw Sound (CGD07) ADD Fields Cut Buoy "48B" in 32°05'12.0"N 080°55'58.8"W (CGD07) RELOCATE Fields Cut Buoy "48A" from (32°05'12.0"N 080°55'58.9"W) to	25/97
080°55'51.6"W		32°05'17.5"N
(Previously Temp Added 21/97)		
11512	54 th ed., 09/21/96 LAST LNM 24/97 NAD 83 Savannah River and Wassaw Sound (CGD07) RELOCATE S Chan Daybeacon "A6" from (32°5'12.752"N, 81°0'41.401"W) to	25/97
081°00'45.5"W		32°05'17.1"N
11513	21 st ed., 06/04/94 LAST LNM 24/97 NAD 83 (TEMP) St. Helena Sound to Savannah River (CGD07)	25/97

ADD Fields Cut Buoy "48B" in
32°05'12.0"N 080°55'58.8"W
(CGD07)

RELOCATE Fields Cut Buoy "48A" from
(32°05'12.0"N 080°55'58.9"W) to 32°05'17.5"N
080°55'51.6"W
(Previously Temp Added 21/97)

11513 21st ed., 06/04/94 LAST LNM 24/97 NAD 83 25/97
St. Helena Sound to Savannah River
(CGD07)

RELOCATE Skull Cr Daybeacon "4" from
(32°16'22.42"N, 80°44'9.078"W) to 32°16'22.5"N
080°44'09.3"W

11516 28th ed., 04/12/97 LAST LNM 24/97 NAD 83 25/97
Port Royal Sound and Island Passages
(CGD07)

RELOCATE Skull Cr Daybeacon "4" from
(32°16'22.42"N, 80°44'9.078"W) to 32°16'22.5"N
080°44'09.3"W
Skull Cr Daybeacon "9A" from
(32°14'52.955"N, 80°45'4.004"W) to 32°14'53.0"N 080°45'04.1"W

V. NEW ADVANCE NOTICE

None.

VI. NEW PROPOSED CHANGES

None.

VII. NEW GENERAL INFORMATION

A. NEW BRIDGE INFORMATION

FLORIDA-TAMPA BAY: Bridges Closed.

The drawspans of the Laurel and Cass Street Bridges across the Hillsborough River at Tampa will remain in the closed position on July 03, 1997, from 9:30 p.m. to 11:00 p.m. and July 4th from 9:30 p.m. to 10:00 p.m. for the Point Blast and Freedom Fest public events.

Chart: 11413 CG Files: 2398/2980

FLORIDA-TAMPA BAY-PORT RICHEY: Bridge Closed.

The Beckett Bridge across Whitcomb Bayou at Tarpon Springs is broken in the closed position. Estimated time for repair is July 01, 1997. Vertical clearance is limited to 5.5 feet.

Chart: 11411

FLORIDA-INTRACOASTAL WATERWAY-LAKE WORTH INLET-HILLSBORO INLET: Temporary Regulation Change.

To facilitate repairs and painting operations on the Palmetto Park Road Double Leaf Bascule Bridge across the Intracoastal Waterway, mile 1047.5 at Boca Raton, Palm Beach County, it will be necessary to place the bridge in single leaf operation beginning Tuesday, June 03, 1997, at 9:00 a.m. until Monday, June 30, 1997, at 6:00 p.m. A double leaf opening will be provided when 30 minute advance notice has been given to the bridgetender. The bridge offers a 20 foot vertical clearance in the closed position above Mean High Water and a horizontal clearance of 91 feet, normal to the axis of the channel between fenders.

Ref: LNM 19-97 CG File: 2612
Chart: 11467

FLORIDA-INTRACOASTAL WATERWAY-LAKE WORTH INLET-HILLSBORO INLET: Temporary Deviation Extension.

Local Notice to Mariners Number 14-97, dated April 01, 1997, announced that painting operations and repairs on the S.R. 704 (Royal Park) Bridge, mile 1022.6 across the Intracoastal Waterway at West Palm Beach, Palm Beach County, Florida, will be completed on or about June 14, 1997. This temporary deviation has been extended until July 05, 1997. The bridge will operate with a single leaf during this time. Double leaf openings will be provided when four hours advance notice has been given to the drawtender.

Ref: BNM 309-97-MIA CG File: 2255
Chart: 11467

FLORIDA-INTRACOASTAL WATERWAY-HILLSBORO RIVER-BISCAYNE CREEK: Special Bridge Notice.

The Coast Guard has received a request from the City of Ft. Lauderdale, Police Department to allow a temporary change in the operating regulations from the Southeast 17th Street Causeway, East Las Olas Boulevard, and East Sunrise Boulevard Drawbridges across the Intracoastal Waterway (miles 1065.9, 1064.0, and 1062.6) at Fort Lauderdale, Broward County, Florida, to accommodate the annual Forth of July Fireworks event.

If authorized, the proposal would allow these three drawbridges to not open to vessel traffic from 9:30 p.m. to 11:30 p.m. on Thursday, July 04, 1997, except that the Southeast 17th Street Causeway Drawbridge will open at 10:00 p.m., the East Las Olas Boulevard Drawbridge will open at 10:15 p.m., and the East Sunrise Boulevard Drawbridge will open at 10:30 p.m. The minimum vertical clearance of these three drawbridges is 22 feet above mean high water in the closed position and a horizontal clearance of 90 feet between fenders.

The Coast Guard is seeking comments on this proposed closure period with the designated interim openings for each drawbridge and the effect it would have on navigation. Comments should be sent to the address on the cover of this notice and should be mailed to arrive no later than June 27, 1997. If you're unable to respond in writing you can comment by calling Brodie Rich at (305) 536-5117.

Chart: 11467 CG Files: 2889/2171/2754

FLORIDA-OKEECHOBEE WATERWAY-CALOOSA HATCHEE RIVER: Bridge Notice.

The SR 78 Drawbridge at mile 116.0 at Alva will be having its submerged electrical cable replaced from June 25-27. During this period one half the span will be available at all times for vessel passage and the other span will be opened within 30-minutes by hand for larger vessels. The channel may be blocked at times by the contractor's floating equipment. In the closed position, the bridge provides 15 feet vertical clearance.

Chart: 11428 CG File: 2392

FLORIDA-INTRACOASTAL WATERWAY-CHARLOTTE HARBOR-TAMPA BAY: Bridge Regulations.

The State Road 72 Drawbridge, mile 68.6 at Stickney Point will be opened every 15 minutes on the hour, quarter hour, half hour, and three quarter hour from 7:00 a.m. to 6:00 p.m. daily to facilitate the movement of vehicular traffic across the bridge which is undergoing repairs. This condition will continue until August 15, 1997, and may be extended. Comments on this schedule and its effect on the movement of both marine and vehicular traffic should be sent to the address on the cover of this notice.

Chart: 11425 CG Fiel: 2418

FLORIDA-INTRACOASTAL WATERWAY-CHARLOTTE HARBOR-TAMPA BAY-GASPARILLA SOUND: Bridge Notice.

Gaspar Incorporated has advised the Boca Grand Bridge Swingbridge, mile 34.3 is repaired and operates on vessel signal.

Ref: LNM 20-97 CG File: 2877
Chart: 11425

B. MISCELLANEOUS INFORMATION

SOUTH CAROLINA-CHARLESTON HARBOR-WANDO RIVER: Regatta.

The annual Hobcaw Yacht Club Regatta will be held on the Wando River between the Mark Clark Expressway (E-526) Bridge and the Wando River Terminal on July 12 and 13, 1997, from 12:00 noon and 5:00 p.m. There will be approximately 75 sailboats participating.

Chart: 11524

SOUTH CAROLINA-CHARLESTON HARBOR-ASHLEY RIVER: Fireworks.

The annual Festival on the Fourth Fireworks demonstration will occur off Brittleband Park on the Ashley River from 9:30 p.m. to 10:30 p.m. A Coast Guard and local law enforcement patrol will be on scene to control vessel movement in the vicinity of Brittlebank Park pier during the event.

Chart: 11524

SOUTH CAROLINA-BEAUFORT RIVER TO ST. SIMONS SOUND-SKULL CREEK: Fireworks.

A fireworks demonstration will occur on Snake Creek near Hudson's Restaurant on July 04, 1997, from 9:00 p.m. to 10:00 p.m. A Coast Guard Auxillary vessel will be on scene to control vessel movement on spectator vessels in the vicinity of the fireworks barge. A rain date of July 05, 1997, has been sent in the event of inclement weather.

Chart: 11507

GEORGIA-SAVANNAH RIVER-FIG ISLAND-CITY FRONT CHANNEL: Dredging Operations.

The Captain of the Port Savannah, Georgia, advises that the dredge STUART will be conducting dredging operations from June 16 to 28, 1997, between FIG ISLAND LIGHT 57 (LLNR 5010) and CITY FRONT CHANNEL LIGHT 62 (LLNR 5025). The dredge can be contacted on VHF-FM channels 13 or 16 for passing information.

Ref: BNM 341-97-CHA and 646-97-D7 Chart: 11512

FLORIDA-ST. JOHNS RIVER: Dredging Operations.

The dredge PULLEN is conducting dredging operations until October 01, 1997, in the St. Johns River from Blout Island to Commodore Point. This operation is being conducted 24 hours-a-day, seven days-a-week. The dredge can be contacted on VHF-FM channels 13 or 16 for passing information.

Ref: BNM 642-97-D7 Chart: 11491

FLORIDA-WEST PALM BEACH TO MIAMI-MIAMI MAIN CHANNEL TO BEAR CUT: Pipeline Work.

Team Land Development Incorporated will working on the pipeline between 25°44'45.0"N 080°08'42.2"W and 25°44'33.9"N 080°05'09.0"W from June 23 to October 14, 1997. Project consists of placement of articulated concrete erosion mats on exposed sections of pipe, installation of relief valves and other small miscellaneous repairs.

Charts: 11468, 11465, 11451

FLORIDA-INTRACOASTAL WATERWAY-MATANZAS INLET-MOSQUITO LAGOON-PONCE DE LEON CUT: Shoaling.

There is extension shoaling between Ponce de Leon Cut Temporary Buoy 2 (LLPG 292) and - Daybeacon 3 (LLNR 40505). During extreme low tides vessels with drafts of five feet or greater should exercise extreme caution.

Ref: BNM 254-97-MAY and LNM 24-97 Chart: 11485

VIII. LIGHT LIST CORRECTIONS

(1) No.	(2) Name and Location Remarks	(3) Position	(4) Position	(5) Characteristic	(6) Ht	(7) Rng	(8) Structure
290	Hunting Island Fish Haven Buoy	31 13.1 80 20.4				Yellow nun.	Private aid.
	• (25-97)						
515	St. Simons Lighted RACON: B (-...).	31 03.2 Mo (A) W			6	Red and white stripes with	
6030	Whistle Buoy STS	81 15.1				red spherical topmark.	
	• (17-97)						
833	NOAA Data Lighted Buoy 41008	31 24.1 Fl (4) Y 20s 80 52.2				Yellow disc-shaped with	
*	* * *	* * *		* mast.		(21-97)	
1055	Sand Key Light	24 27.2 Fl (2) W 15s 81 52.5 0.1s fl 2.4s ec 0.1s fl 12.4s ec		40	13	NR on square skeleton tower.	
	• (17-97)						
1890	- Channel Lighted Buoy 5			Fl G 2.5s		4	Green.
	• (20-97)						

2385	FORT SUMTER RANGE Visible 2 ² each side of FRONT LIGHT 79 51.8 operation Day/Night.	32 44.8 FI W 2.5s	26	KRW on skeleton tower. rangeline. Continuous
------	---	-------------------	----	---

* * (21-97)

2390	FORT SUMTER RANGE Visible 2 ² each side of REAR LIGHT 1,902 yards, 299.3 ² from front light.	Iso W 6s	92	KRW on skeleton tower on piles. rangeline. Continuous operation Day/Night.
------	--	----------	----	--

- (20-97)

3230	Delete W/W above column 3.	(25-97)
------	----------------------------	---------

3245	Delete N/W above column 3.	(25-97)
------	----------------------------	---------

3890	Steamboat Creek Daybeacon 2 80 16.1	32 36.8	TR on pile.
------	--	---------	-------------

- (12-97)

*Delete Heading:

***Whitehall Channel**

5070	SAVANNAH BULK TERMINAL SOUTH LIGHT	Remove from list.
------	---------------------------------------	-------------------

- (22-97)

(1) No.	(2) Name and Location Remarks	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure
------------	-------------------------------------	-----------------	-----------------------	-----------	------------	------------------

5075	SAVANNAH BULK TERMINAL NORTH LIGHT	Remove from list.
------	---------------------------------------	-------------------

- (22-97)

5840	- Buoy 2	31 32.0	Red nun.
------	----------	---------	----------

81 05.2

- (12-97)

6030	St. Simons Lighted RACON: B (-...).	31 03.2 Mo (A) W	6	Red and white stripes with red spherical topmark.
------	--	------------------	---	--

515	Whistle Buoy STS	81 15.1
-----	------------------	---------

- (17-97)

6045	- Entrance Lighted Bell Buoy 3	FI G 2.5s	3	Green.
------	-----------------------------------	-----------	---	--------

- (19-97)

6050	- Entrance Lighted Buoy 4	FI R 2.5s	4	Red.
	• (19-97)			
6055	- Entrance Lighted Buoy 5	FI G 4s	4	Green.
	• (19-97)			
6060	- Entrance Lighted Buoy 6	FI R 4s	3	Red.
	• (19-97)			
6065	- Entrance Lighted Bell Buoy 7	FI G 2.5s	3	Green.
	• (19-97)			
6070	- Entrance Lighted Buoy 8	FI R 2.5s	3	Red.
	• (19-97)			
6075	- Entrance Lighted Buoy 9	FI G 4s	4	Green.
	• (19-97)			
6080	- Entrance Lighted Buoy 10	FI R 4s	3	Red.
	• (19-97)			
6085	- Entrance Lighted Bell Buoy 11	FI G 4s	4	Green.
	* (19-97)	*		
6090	- Entrance Lighted Buoy 12	FI R 4s	3	Red.
	• (19-97)			
6095	- Entrance Lighted Buoy 13	FI G 2.5s	3	Green.
	• (19-97)			
6100	- Entrance Lighted Buoy 14	FI R 2.5s	3	Red.
	• (19-97)			
6105	- Entrance Lighted Bell Buoy 15	Q G	3	Green.
	• (19-97)			
6110	- Entrance Lighted Buoy 16	Q R	3	Red.
	• (19-97)			
6640	St. Marys North Jetty 30 42.9 Daybeacon E 81 25.6			NW on dolphin worded Ra ref. DANGER SUBMERGED

JETTY.

- (21-97)

6960	- NAVIGATION LIGHT 30 46.6 FL W 4s	16	4	NW on pile.
------	------------------------------------	----	---	-------------

- (11-97)

KYB on pile. Maintained by

- (18-97)

- (20-97)

- (15-97)

- (20-97)

- (20-97)

7575	- Lighted Buoy 69	30 22.7 Fl G 2.5s	4	Green.
------	-------------------	-------------------	---	--------

- (20-97)

- (18-97)

- (18-97)

8560 - Daybeacon 1 29 20.7

SG on pile.

81 36.9

- (12-97)

8780 - SOUTH END RANGE REAR LIGHT
skelton tower. Visible 4² each side of
1,021 yards, 166.7² from
front light.

Iso W 6s

40

KRW on
rangeline.

- (18-97)

St. Johns River

8825 Blue Island Daybeacon 24 29 11.4

TR on pile.

81 33.3

- (12-97)

*Add Heading:

**Singer Island Channel*

10211.0 - Daybeacon 1 26 46.5
80 02.4

SG on pile.

* * * * * (20-97)

10211.5 - Daybeacon 3

SG on pile.
(20-97)

* * * * *

10212 - LIGHT 5 FI G 4s 16 3

SG on dolphin.
(20-97)

* * * * *

10212.5 - Daybeacon 7

SG on pile.
(20-97)

* * * * *

10213 - Daybeacon 8

TR on pile.
(20-97)

* * * * *

10213.5 - Daybeacon 9

SG on pile.
(20-97)

* * * * *

*Add Heading:

*Lake Worth Inlet

10215 - LIGHT 8 FI R 4s 16 3
(20-97)

TR on pile.

Fishermans Channel

10655 - LIGHT 5 25 45.9 FI G 6s 16 4

SG on pile.

80 09.0

- (12-97)

Boca Grande Channel

15430 - Daybeacon 1 24 37.3

SG on pile.

82 04.4

- (18-97)

*Add Heading:

***San Carlos Bay**

18065 - Daybeacon 11 26 29.7

SG on pile.

82 00.9

(25-97)

21625 - West Channel Buoy 2

Remove from list.

- (11-97)

(1) No.	(2) Name and Location Remarks	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure
------------	-------------------------------------	-----------------	-----------------------	-----------	------------	------------------

22540	- Lighted Buoy 5	FI G 4s	4	Green.		
	• (12-97)					

26120	- Daybeacon 1 28 13.4 On west point of shoal.	82 48.2		SG on pile.		
	• (12-97)					

Cross Florida Barge Canal

29200 - LIGHT 19 28 56.8 FI G 4s 16 4 SG on pile.

82 52.7

- (11-97)

32355	- RANGE FRONT LIGHT 2 ² each side of	18 13.1 Q G	33	KRW on square tower. Visible		
	67 09.7 *	*	*	rangeline. (12/17-97)		

32360	- RANGE REAR LIGHT Visible 2 ² each side of 340 yards, 091.5 ² from	Oc G 4s	87	KRW on tower on building. rangeline.		
-------	---	---------	----	---	--	--

front light.

* * (11/16-97)

St. Nicolas Point Channel

33395 - Lighted Buoy 3 19 54.7 FI G 4s 4 Green.

75 11.6

- (11-97)

33400 - LIGHT 4 FI R 4s 12 3 TR on pile.

Marks southern edge of
shoal.

* * (11-97)

33405 - LIGHT 5 FI G 4s 15 4 SG on pile.

- (11-97)

33415 - LIGHT 7 FI G 4s 15 4 SG on pile.

- (11-97)

33420 - Daybeacon 8 Remove from list.

- (11-97)

33465 CORINASO POINT LIGHT 19 55.1 FI G 6s 42 4 NB on skeleton tower. Visible
all around.

75 09.3

- (11-97)

Corinaso Cove

33470 - Lighted Buoy 2 19 55.1 Q R 4 Red.

75 09.0

- (11-97)

Radio Point

33490 - LIGHT 1 19 55.3 FI G 4s 15 4 SG on pile.

75 09.0

* * * * (11-97)

Deer Point Channel

33500 - LIGHT 1 19 55.4 FI G 4s 10 4 SG on pile.

75 08.8

			*	*		(11-97)
33505	- LIGHT 2	Q R	14	2	TR on pile.	
			*	*	*	(11-97)
33510	- LIGHT 3	Q G	12	3	SG on pile.	
			*	*		(11-97)
33515	- LIGHT 4	FI R 4s	11	3	TR on pile.	
				*	*	(11-97)
33520	- LIGHT 5	FI G 4s	14	4	SG on dolphin.	
	• (11-97)					
33525	- JUNCTION LIGHT DP 19 55.2 FI (2+1) R 6s			13	3	JR on pile.

75 08.7

* * (11-97)

*Add Heading:

***Guantanamo Bay**

33530	EVANS POINT LIGHT 8		FI R 4s	10	3	TR on pile.
	• (11-97)					

(1) No.	(2) Name and Location Remarks	(3)	(4) Position	(5) Characteristic	(6) Ht	(7) Rng	(8) Structure
	Deer Point Channel						
33535	MUD ISLAND LIGHT 1	19 55.2	FI G 6s	7	4	SG on pile.	
	75 08.7						
	• (11-97)						
33540	- Lighted Buoy 9	19 56.5	FI G 2.5s		3	Green.	

75 08.6

- (11-97)

Marine Site Two Channel

33545	- LIGHT 1	19 55.9	FI G 4s	10	4	SG on dolphin.
-------	-----------	---------	---------	----	---	----------------

75 08.1

- (11-97)

33550	- LIGHT 2	FI R 4s	10	4	TR on pile.
-------	-----------	---------	----	---	-------------

	*		*		*		*		(11-97)
33560	MARINE BOAT CHANNEL	19 56.2 FI R 4s 13	3	TR on pile.					
	LIGHT 2 75 07.8								
	• (12-97)								
33575	- LIGHT 4	FL R 4s 11	3	TR on pile.					
	• (11-97)								
33590	CAYO TOMATE JUNCTION	19 56.9 FI (2+1) R 6s	14	3	JR on dolphin.				
	LIGHT CT 75 07.9								
	• (11-97)								
33595	Eagle Channel Lighted	19 57.3 FI G 4s	4	Green.					
	Buoy 1 75 08.1								
	• (11-97)								
35075	- RANGE A REAR LIGHT	Iso R 6s	24	KRW on dolphin.					
	Visible 4 ² each side of								
	109 yards, 206.2 ² from								
	front light.								
	• (17-97)								
35900	- LIGHT 10	Q R 16	3	TR-TY on dolphin.					
	• (14-97)								
36860	- Range A Rear Daybeacon			KRW-I on tripod.					
	165 yards, 32.8 ² from								
	front daybeacon.								
	• (18-97)								
37157	Troupe Creek East	31 13.8		NW on pile worded	Private aid.				
	Obstruction Daybeacon	81 26.5		CAUTION SUBMERGED REEF.					
*	*	*	*	*	*	*	*		(14-97)
37157.5	Troupe Creek West			NW on pile worded	Private				
aid.									
	Obstruction Daybeacon			CAUTION SUBMERGED REEF.					
*	*	*	*	*	*	*	*		(14-97)
37195	- LIGHT 245	FI G 4s 16	4	SG-SY on dolphin.					
		*	*	(19-97)					
37220	Back River Daybeacon 1	31 10.4		SG-SY on pile.					
	81 27.3								
	• (12-97)								
37730	- NAVIGATION LIGHT	30 46.6 FL W 4s	16	4	NW on pile.				
6960	81 29.6								
	• (11-97)								

38025 - RANGE REAR LIGHT Iso G 6s 32 KRW on dolphin. Visible
 4² each side of
 900 yards, 172.8² from
 front light. rangeline.
 • (18-97)

South Amelia River

38040 - Daybeacon 1930 36.1 SG-SY on pile.

81 28.7

- (12-97)

38760 - LIGHT 36 30 01.0 FI R 4s 16 3 TR-TY on dolphin.

81 20.9

- (13-97)

(1) No.	(2) Name and Location Remarks	(3)	(4) Position	(5) Characteristic	(6)	(7) Ht	(8) Rng	Structure
------------	-------------------------------------	-----	-----------------	-----------------------	-----	-----------	------------	-----------

38795	- Daybeacon 44A 81 19.9		29 59.6					TR- TY on pile.
-------	----------------------------	--	---------	--	--	--	--	-----------------

- (13-97)

*Add Heading:

*Florida Department of Transportation Villano Bridge

38832 - NORTH BREASTING LIGHT 29 56.0 FI W 4s 13 On dolphin. Private aid.

81 18.5

* * * * * (10-97)

38833	- CENTER BREASTING LIGHT			FI W 4s 13			On dolphin.	Private aid.
*	*	*	*	*	*		(10-97)	

38834	- SOUTH BREASTING LIGHT			FI W 4s 13			On dolphin.	Private aid.
*	*	*	*	*	*		(10-97)	

*Add Heading:

*Tolomato River

38835 - LIGHT 55 29 55.7 FI G 4s 12 4 SG-SY on pile.
 81 18.4

- (10-97)

*Add Heading:

***Florida Department of Transportation Bridge of Lions**

39052 - NORTH BREASTING LIGHT 29 54.1 FI W 4s 13 On dolphin. Private aid.

81 18.3

* * * * * (10-97)

39053 - CENTER BREASTING LIGHT FI W 4s 13 On dolphin. Private aid.
* * * * * (10-97)

39054 - SOUTH BREASTING LIGHT FI W 4s 13 On dolphin. Private aid.
* * * * * (10-97)

*Add Heading:

*Matanzas River

39055 - Daybeacon 5 SG-SY on pile.
(10-97)

*Add Heading:

***Florida Department of Transportation State Road 312**

39092 - NORTH BREASTING LIGHT 29 52.1 FI W 4s 13 On dolphin. Private aid.

81 18.3

* * * * * (10-97)

39093 - CENTER BREASTING LIGHT FI W 4s 13 On dolphin. Private aid.
* * * * * (10-97)

39094 - SOUTH BREASTING LIGHT FI W 4s 13 On dolphin. Private aid.
* * * * * (10-97)

41200 - LIGHT 26 28 38.0 FI R 4s 12 3 TR-TY on pile.
80 48.4

- (14-97)

Titusville Yacht Basin

41210 - Daybeacon 1 28 37.5 SG on pile.

80 48.3

- (14-97)

47200 - Buoy 68B Red nun with yellow
Marks rock. triangle.

- (18-97)

47285 - LIGHT 16 26 06.7 FI R 4s 12 3 TR-TY on pile. Obscured from 127° to 240°.

80 06.8

- (20-97)

47290 - Junction Daybeacon A 26 06.7

JR-TY on pile.

80 06.9

- (18-97)

*Add Heading:

***Jockey Club Marina**

47923 - Daybeacon 2 25 52.8

TR on pile.

Private aid.

80 09.0

* * * * *

47924 - Daybeacon 3 SG on pile. Private aid.
* * * * * * * * * (11-97)

* * * * *

(1) No.	(2) Name and Location Remarks	(3)	(4) Position	(5) Characteristic	(6)	(7) Ht	(8) Rng	Structure
------------	-------------------------------------	-----	-----------------	-----------------------	-----	-----------	------------	-----------

*Delete Heading:

*Jockey Club Marina

47925 - Daybeacon 4 (12-97)	TR on pile.	Private aid.
--------------------------------	-------------	--------------

47953 - Daybeacon 10 TR on pile. Private aid.
* * * * * (11-97)

47954 - Daybeacon 11 SG on pile. Private aid.
* * * * * * * * * (11-97)

*Add Heading:

*Windjammer Marina

51055 - Daybeacon 1 27 10.8 SG on pile. Private aid.
80 15.8
(25-97)

52820 - LIGHT 54 FI R 4s 15 3 TR-TY on pile.

- (15-97)

*Add Heading;

*Bay Islaes Perimeter Channel

58667 - Daybeacon 2 27 21.3 TR on pile. Private aid.

82 36.5

* * * * *

58667.05 * *	- Daybeacon 4 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.1 * *	- Daybeacon 6 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.15 * *	- Daybeacon 7 * * *	* *	*	SG on pile. (11-97)	Private aid.
58667.2 * *	- Daybeacon 8 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.25 * *	- Daybeacon 9 * * *	* *	*	SG on pile. (11-97)	Private aid.
58667.3 * *	- Daybeacon 10 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.35 * *	- Daybeacon 12 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.4 * *	- Daybeacon 14 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.45 * *	- Daybeacon 15 * * *	* *	*	SG on pile. (11-97)	Private aid.
58667.5 * *	- Daybeacon 16 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.55 * *	- Daybeacon 18 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.6 * *	- Daybeacon 20 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.65 * *	- Daybeacon 22 * * *	* *	*	TR on pile. (11-97)	Private aid.
58667.7 * *	- Daybeacon 23 * * *	* *	*	SG on pile. (11-97)	Private aid.
58667.75 * *	- Daybeacon 24 * * *	* *	*	TR on pile. (11-97)	Private aid.
60160	- RANGE REAR LIGHT 257 yards, 146.6 ² from front light. • (18-97)	Iso R 6s	22	KRW on tower on piles.	

IX. ADDITIONAL ENCLOSURES

Enclosure (1) MSO Miami Marine Safety Information Bulletin 6-97 QUALIFICATIONS FOR TANKERMEN AND FOR PERSONS IN CHARGE OF TRANSFERS OF DANGEROUS LIQUIDS AND LIQUEFIED GAS.

Enclosure (2) Report of Channel Conditions for Brunswick Harbor Ship Channel from the Sea to the Upper Limits of the Harbor.

Enclosure (3) Page i of 1997 Light List Volume III.

Enclosure (4) Order Form for 1997 Light List Volume III.

N. T. Saunders
Rear Admiral, U.S. Coast Guard
Commander, Seventh Coast Guard District 2
Page # of 14 LNM 25-97
Seventh Coast Guard District

June 17, 1997